

Talis M54

Single lever kitchen mixer 270, pull-out spout, 1jet

Finish: **Chrome** Article Number: **72808000**



Description

product features

- ComfortZone 270
- I-spout
- swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- quick connect hose
- connection dimension: DN15
- maximum flow rate at 3 bar: 8 l/min
- ceramic cartridge
- connection type: G 3/8 hose connections
- temperature limitation adjustable
- integrated non-return valve
- suitable for continuous flow water heaters
- extension length up to 50 cm

Technology



Design awards



reddot winner 2020




Certificates / Sustainability



Product image



Scale drawing




Talis M54

Single lever kitchen mixer 270, pull-out spout, 1jet

Finish: **Chrome** Article Number: **72808000**



Flowchart




Talis M54
Single lever kitchen mixer 270, pull-out spout, 1jet
 Finish: **Chrome** Article Number: **72808000**



Exploded Drawing

Year of production: >12/19



Talis M54

Single lever kitchen mixer 270, pull-out spout, 1jet

Finish: **Chrome** Article Number: **72808000**



Spare part list

Year of production: >12/19

Pos.	Description	Article Number	PC	PU
1	spout cpl.	93749000	11	1
2	O-ring 8x2	98112000	1	1
3	handspray	93751000	12	1
4	filter	98516000	2	1
5	non return valve DW 10	96456000	3	1
6	spray former	93748000	7	1
7	service tool	93750000	3	1
8	set of locating rings (60° / 110° / 150°)	94911000	5	1
9	set of lever collars	98365000	3	1
10	O-ring 19x2	98426000	1	1
11	O-ring 20x1,5	98197000	1	1
12	handle	93736000	9	1
13	hollow set screw M5x5	98446000	1	1
14	screw cover	93735610	3	1
15	flange	93737000	9	1
16	nut	93738000	10	1
17	O-ring 25x1,5	98146000	2	1
18	O-ring 30x1,5	98433000	1	1
19	O-ring 29x2	98391000	1	1
20	cartridge, assy	93740000	13	1
21	O-ring 36x3	98052000	1	1
22	support	97523000	2	1
23	fixing set (Ø 34)	95049000	5	1
24	lever collar	97548000	1	1
25	weight	92500000	9	1
26	hose 1,50 m	93816000	13	1
27	hose	93744000	10	1
28	O-ring 7x1,5	98422000	1	1
29	connection hose 900 mm M8x0,75 G3/8	93746000	9	1
30	O-ring 6,6x1,6	93019000	1	1
a	set of adapters	93395000	7	1