

GROHE QUICKFIX | PRECISION FEEL

BATH THERMOSTAT - S-UNIONS - METAL ESCUTCHEON



Article No: **34788000**
EAN Code: **4005176613050**
Date: **Sep 10. 2026**

PRODUCT DESCRIPTION

The minimalist GROHE Precision Feel bath thermostat – control your bath and shower with ease and style

Lay back and relax with smart features and intuitive control of the GROHE Precision Feel thermostatic bath mixer. Upgrade to the benefits of a thermostat with this wall-mounted exposed tap, offering enhanced convenience and safety. Its slimline cylindrical silhouette is sleek and minimalist, down to the escutcheons. It's easy for everyone to control too, even with wet or soapy hands – GROHE ProGrip handles have a knurled surface for great grip. Safety comes as standard too, making it an ideal choice for family bathrooms – children are prevented from turning the temperature up too high thanks to the GROHE SafeStop override button, set at 38°C, and the optional GROHE SafeStop Plus temperature limiter, which can be set to a further limit of 43°C. And GROHE CoolTouch ensures the body of the mixer never gets too hot to touch, due to an inner cooling channel. The GROHE TurboStat cartridge lets you enjoy water that is always at the ideal temperature, with no fluctuations. Control flow easily with GROHE Aquaimmer's simple action that lets you direct the water where you want while simultaneously setting the volume. By the way: Thermostat technology reduces water and energy consumption in general, while the EcoButton function limits the flow rate. When you need a full flow simply press this button to release the volume handle. This chic tap is finished with the durable GROHE LongLife chrome, for long-lasting sparkling looks.



PRODUCT INFORMATION

- wall mounted
- **GROHE CoolTouch** safety housing
- **GROHE LongLife** finish
- **GROHE TurboStat** - compact cartridge with wax thermoelement
- **GROHE ProGrip** - with knurled structure
- **GROHE SafeStop** - safety button at 38°C
- **GROHE SafeStop Plus** - optional temperature limiter at 43°C included
- **GROHE AquaDimmer** with multiple function:
 - FlowControl Button - One-button switch to full water flow
 - - diverter: bath/shower
 - integrated mixed water shut off
 - shower bottom outlet 1/2"
 - mousseur
 - built-in non return valves
 - S-unions
 - dirt strainers
 - metal escutcheon
 - protected against backflow
- GROHE QuickSpanner included, but not for matte black variant


GROHE QUICKFIX | PRECISION FEEL

BATH THERMOSTAT - S-UNIONS - METAL ESCUTCHEON




TECHNICAL DATA

Surface finish	Polished
Min. recommended pressure (kn/m2)	100
Max. recommended pressure (kn/m2)	500
Installation type	Wall-mounted exposed
Diameter headshower (mm)	XXX
Center distance	150 mm
THM cartridge size (inch)	1/2"
Temperature stop in °C	38
Type of (S-) unions	With S-unions
Type of diverter	Aquadimmer (on/off+diverter)



FLOW PROPERTIES

Flow rate at 3bar (l) **20**



SPARE PARTS

- 1 Shut-off handle (order no. 49162000)
- 2 Temperature limiter (order no. 47977000)
- 3 Aquadimmer (order no. 12433000)
- 3.1 O-Ring (order no. 0305600M)
- 4 Water flow (order no. 47751000)
- 5 Shut-off handle (order no. 49160000)
- 6 retaining ring (order no. 47743000)
- 7 Thermostatic compact cartridge 1/2" (order no. 47439000)
- 8 Race (order no. 47975000)
- 9 Flow restrictor (order no. 13952000)
- 10 Non-return valve (order no. 08565000)
- 11 Non-return valve (order no. 47189000)
- 11.1 Filter (order no. 0726400M)
- 11.2 Non-return valve (order no. 08565000)
- 11.3 O-Ring Ø17 x Ø2 (order no. 0305500M)
- 12 S-union (order no. 12662000)
- 13 Extension 3/4", 20 mm (order no. 0713000M)
- 14 Special Spanner (order no. 19377000)
- 15 Socket Spanner (order no. 19332000)
- 16 GROHE TurboStat cartridge 1/2" (order no. 47175000)

